




ROSSI



Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV




**Tempotest 1104<sup>®</sup>** 120cm (47") rapp. 30cm (12")





Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV





**Tempotest 500I/II**® 120cm (47") rapp. 40cm (16")





Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV




**Tempotest 500I/26<sup>®</sup>** 120cm (47") rapp. 40cm (16")





Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV



**Tempotest 5010/11<sup>®</sup>** 120cm (47") rapp. 20cm (8")



84%



89%



SPF 80




>10% ↑ <20%





Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV



**Tempotest 5072/88<sup>o</sup>** 120cm (47") rapp. 40cm (16")



82%



84%

SPF40

>10%  $t_v$  <20%



Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV




**Tempotest 5167/II**® 120cm (47") rapp. 30cm (12")





Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV




**Tempotest 5226/26<sup>®</sup>** 120cm (47") rapp. 30cm (12")







Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV



**Tempotest 5304/15<sup>®</sup>** 120cm (47") rapp. 30cm (12")



77%



79%



SPF40




T<sub>v</sub> > 20%





Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV



**Tempotest 635/11**® 120cm (47") rapp. 20cm (8")



82%



85%



SPF40





>10% Tv <20%






Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV




**Tempotest 770/55<sup>®</sup>** | 120cm (47") rapp. 24cm (9")





Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV





**Tempotest 940/72<sup>®</sup>** 120cm (47") rapp. 30cm (12")





Company with  
Quality System  
UNI EN ISO 9001:2000  
certified by TUV



**Tempotest 942/25<sup>®</sup>** 120cm (47") rapp. 30cm (12")

